## AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Compte 8 • CH-1844 Villeneuve • +41 (0)21 965 65 65

**Mac Para Technology** 

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes

Manufacturer



Certification number PG 2536.2025

## Flight test report: EN 926-2:2013+A1:2021 and NfL 2024-2-785

Manadata	wac Fara Technolog	<b>3</b>	Octunication num		1 0_2000.2020	
Address Televizní 2615			Flight test		02.04.2025	
	756 61 Roznov pod F	Radhostem				
	Czech Republic					
Glider model	Eden 8 33		Classification		В	
Serial number	2833-2012		Representative		None	
Trimmer	no		Place of test		Villeneuve	
Folding lines used	no					
. cramig imice acca						
Test pilot		Anselm Rauh			Claude Thurnheer	
Harness		Woody Valley srl NAOS XL		Advance Thun AG Bi-pro 3 M		
Harness to risers distance [cm]		45		42		
Distance between r	Distance between risers [cm]		48		48	
Total weight in flight [kg]		115		145		
1. Inflation/Take-off		В				
Rising behaviour		Easy rising, some pile	ot correction is required	В	Easy rising, some pilot correction is required	В
Special take off technique required		No		Α	No	Α
2. Landing		Α				
Special landing technique	required	No		Α	No	Α
3. Speed in straight fligh		B		۸	Voc	۸
Trim speed more than 30	km/n	Yes		Α	Yes	Α
Speed range using the controls larger than 10 km/h		Yes		Α	Yes	Α
Minimum speed		Less than 25 km/h		Α	25 km/h to 30 km/h	В
		^				
4. Control movement		Α				
Max. weight in flight up		not available			2010	
Symmetric control pressu	Symmetric control pressure / travel			0	not available	0
Max. weight in flight 80	kg to 100 kg					
Symmetric control pressure / travel		not available		0	not available	0
Max. weight in flight gre	<u>-</u>		0.5			
Symmetric control pressu	Symmetric control pressure / travel		han 65 cm	Α	Increasing / greater than 65 cm	Α
5. Pitch stability exiting	accelerated flight	Α				
Dive forward angle on exit		Dive forward less tha	n 30°	Α	Dive forward less than 30°	Α
Callanas assum		No		Α	No	Α
Collapse occurs		NO		A	INU	^
6. Pitch stability operation	ng controls during	Α				
Collapse occurs		No		Α	No	Α
7. Roll stability and damping		Α				
Oscillations		Reducing		Α	Reducing	Α
8. Stability in gentle spir	rals	A				
Tendency to return to straight flight		Spontaneous exit		Α	Spontaneous exit	Α
-	- •					

). Behaviour exiting a fully developed spiral dive	В			
nitial response of glider (first 180°)	No immediate reaction	В	No immediate reaction	E
Fendency to return to straight flight	Spontaneous exit (g force decreasing, rate of turn decreasing)	Α	Spontaneous exit (g force decreasing, rate of turn decreasing)	A
Furn angle to recover normal flight	720° to 1 080°, spontaneous recovery		720° to 1 080°, spontaneous recovery	В
I0. Symmetric front collapse Approximately 30 % chord	В			
Entry	Rocking back less than 45°	Α	Rocking back less than 45°	A
Recovery	Spontaneous in less than 3 s	Α	Spontaneous in less than 3 s	A
Dive forward angle on exit Change of course	Dive forward 0° to 30° / Keeping course		Dive forward 0° to 30° / Keeping course	
Cascade occurs	No	Α	No	
Folding lines used	No	Α	No	
At least 50% chord Entry	Rocking back less than 45°	Α	Rocking back less than 45°	
Recovery	Spontaneous in 3 s to 5 s	В	Spontaneous in less than 3 s	
Dive forward angle on exit / Change of course	Dive forward 0° to 30° / Keeping course	Α	Dive forward 0° to 30° / Keeping course	
Cascade occurs	No	Α	No	
Folding lines used	No	Α	No	
Vith accelerator				
Entry	Rocking back less than 45°	Α	Rocking back less than 45°	
Recovery	Spontaneous in 3 s to 5 s	В	Spontaneous in less than 3 s	
Dive forward angle on exit / Change of course	Dive forward 0° to 30° / Keeping course	Α	Dive forward 0° to 30° / Keeping course	
Cascade occurs	No	Α	No	
Folding lines used	No	Α	No	
11. Exiting deep stall (parachutal stall)	A	•	Wes	
Deep stall achieved	Yes		Yes	
Recovery	Spontaneous in less than 3 s		Spontaneous in less than 3 s	
Dive forward angle on exit	Dive forward 0° to 30°	A	Dive forward 0° to 30°	
Change of course	Changing course less than 45°		Changing course less than 45°	
Cascade occurs	No	А	No	
12. High angle of attack recovery Recovery	A Spontaneous in less than 3 s	Α	Spontaneous in less than 3 s	
Cascade occurs	No	Α	No	
Recovery from a developed full stall     Dive forward angle on exit	A Dive forward 0° to 30°	А	Dive forward 0° to 30°	
Collapse	No collapse	Α	No collapse	
Cascade occurs (other than collapses)	No	Δ	No	

Rocking back	Less than 45°	Α	Less than 45°	Α
Line tension	Most lines tight	Α	Most lines tight	Α
14. Asymmetric collapse	В			
Small asymmetric collapse				
Change of course until re-inflation / Maximum dive forward or roll angle	Less than 90° / Dive or roll angle 15° to 45°	Α	Less than 90° / Dive or roll angle 15° to 45°	Α
Re-inflation behaviour	Spontaneous re-inflation	Α	Spontaneous re-inflation	Α
Total change of course	Less than 360°	Α	Less than 360°	Α
Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous reinflation)	Α	No (or only a small number of collapsed cells with a spontaneous reinflation)	Α
Twist occurs	No	Α	No	Α
Cascade occurs	No	Α	No	Α
Folding lines used	No	Α	No	Α
Large asymmetric collapse				
Change of course until re-inflation / Maximum dive forward or roll angle	Less than 90° / Dive or roll angle 15° to 45°	Α	90° to 180° / Dive or roll angle 15° to 45°	В
Re-inflation behaviour	Spontaneous re-inflation	Α	Spontaneous re-inflation	Α
Total change of course	Less than 360°	Α	Less than 360°	Α
Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous reinflation)	Α	No (or only a small number of collapsed cells with a spontaneous reinflation)	Α
Twist occurs	No	Α	No	Α
Cascade occurs	No	Α	No	Α
Folding lines used	No	Α	No	Α
Small asymmetric collapse with fully activated accelerator				
Change of course until re-inflation / Maximum dive forward or roll angle	Less than 90° / Dive or roll angle 15° to 45°	Α	Less than 90° / Dive or roll angle 15° to 45°	Α
Re-inflation behaviour	Spontaneous re-inflation	Α	Spontaneous re-inflation	Α
Total change of course	Less than 360°	Α	Less than 360°	Α
Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous reinflation)	Α	No (or only a small number of collapsed cells with a spontaneous reinflation)	Α
Twist occurs	No	Α	No	Α
Cascade occurs	No	Α	No	Α
Folding lines used	No	Α	No	Α
Large asymmetric collapse with fully activated accelerator				
Change of course until re-inflation / Maximum dive forward or roll angle	Less than 90° / Dive or roll angle 15° to 45°	Α	90° to 180° / Dive or roll angle 15° to 45°	В
Re-inflation behaviour	Spontaneous re-inflation	Α	Spontaneous re-inflation	Α
Total change of course	Less than 360°	Α	Less than 360°	Α
Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous reinflation)	Α	No (or only a small number of collapsed cells with a spontaneous reinflation)	Α
Twist occurs	No	Α	No	Α
Cascade occurs	No	Α	No	Α

Folding lines used	No	Α	No	Α
15. Directional control with a maintained asymmetric collapse	A			
Able to keep course	Yes	Α	Yes	Α
180° turn away from the collapsed side possible in 10 s	Yes	Α	Yes	А
Amount of control range between turn and stall or spin	More than 50 % of the symmetric control travel	Α	More than 50 % of the symmetric control travel	Α
16. Trim speed spin tendency	A			
Spin occurs	No	Α	No	Α
17. Low speed spin tendency Spin occurs	A No	Α	No	Α
49. Deceyany from a developed onin	В			
18. Recovery from a developed spin  Spin rotation angle after release	Stops spinning in less than 90°	Α	Stops spinning in 90° to 180°	В
·				
Cascade occurs	No	А	No	Α
19. B-line stall	<b>A</b>			
Change of course before release	Changing course less than 45°	Α	Changing course less than 45°	Α
Behaviour before release	Remains stable with straight span	Α	Remains stable with straight span	Α
Recovery	Spontaneous in less than 3 s	Α	Spontaneous in less than 3 s	Α
Dive forward angle on exit	Dive forward 0° to 30°	Α	Dive forward 0° to 30°	Α
Cascade occurs	No	Α	No	Α
20. Big ears	Α			
Entry procedure	Dedicated controls	Α	Dedicated controls	Α
Behaviour during big ears	Stable flight	Α	Stable flight	Α
Recovery	Spontaneous in less than 3 s	Α	Spontaneous in less than 3 s	Α
Dive forward angle on exit	Dive forward 0° to 30°	Α	Dive forward 0° to 30°	Α
21. Big ears in accelerated flight	Α			
Entry procedure	Dedicated controls	Α	Dedicated controls	Α
Behaviour during big ears	Stable flight	Α	Stable flight	Α
Recovery	Spontaneous in less than 3 s	Α	Spontaneous in less than 3 s	Α
Dive forward angle on exit	Dive forward 0° to 30°	Α	Dive forward 0° to 30°	Α
Behaviour immediately after releasing the accelerator while maintaining big ears	Stable flight	Α	Stable flight	Α
22. Alternative means of directional control	<b>A</b>	_	·	
180° turn achievable in 20 s	Yes	Α	Yes	Α
Stall or spin occurs	No	Α	No	Α
23. Any other flight procedure and/or configuration described in the user's manual	0			
Procedure works as described	not available	0	not available	0
Procedure suitable for novice pilots	not available	0	not available	0
Cascade occurs	not available	0	not available	0